



A centre within the Monash University Injury Research Institute

Jonny Kuo, Sjaan Koppel, and Judith Charlton

video-based measure of driver heart rate for naturalistic driving data



The power of NDS lies in the capacity to explore *latent variables*retrospectively of data collection











Emotional arousal, task demand, and cognitive distraction do not always produce *observable*physical effects.

(White & Caird, 2010)

Heart rate correlates with these factors, often *before* changes in physical behaviours can be seen.

(Mehler, Reimer, & Coughlin, 2012)
















Sun et.al, 2011






Aarts et al., 2013

IPPG

Estimates pulse rate from subtle changes in skin colour

Previously explored in physiology experiments, telemedicine and neonatal ICU










Full methods in Koppel et al. (2014). Examining physiological responses across different driving maneuvers...





Results


$$t(2) = 0.35$$

d = -0.58 BPM

95% CI = 16.93




Participant No. 8





Participant No. 2





Key outcomes

In-vehicle IPPG proof of concept

Unobtrusive measure of mean HR

Potential application in Child Safety Project



Further research

Increased precision

- In-depth analysis of movement artefacts
- More robust tracking algorithms
- Advanced time-frequency analyses

Heart rate variability

Beat-to-beat comparisons

Further validation

Larger and more diverse sample



Existing applications



- Scalability
- Specificity
- Insourcing



Contact

https://www.researchgate.net/profile/Jonny_Kuo

jonny.kuo@monash.edu

The research presented here is part of a larger project supported by the Australian Research Council Linkage Grant Scheme (LP110200334)



















